

Super Oil Gripper

スーパーオイルグリッパー

FSOG-49-01

FSOG-342-10



オイルを掴んで離さない！
これまでにない新しい発想の
オイル吸着材



※使用イメージ

高機能油脂吸着材 『スーパーオイルグripper』

ポイント：マイクロファイバー繊維による吸着

従来製品：表面に油がまとわりつくイメージ

スーパーオイルグripper：油が綿の中に浸透していく

高機能油脂吸着材 『スーパーオイルグripper』の優れた性能

- ※吸油性能が自重の35倍！（従来製品は自重の8～12倍が平均）
- ※素材比重が0.034と非常に軽く水中に沈まない！
- ※水面に浮いた油膜（ギラ）を最大限まで処理！
- ※水を吸わないので水中での使用も可能！
- ※油が垂れないので、回収がとても容易に行える！
- ※油回収時に油処理剤や合成洗剤などを使用しないで回収できる！
- ※素材自体が有毒ガスを出さない！



◆様々な場面でご利用いただけます



飲食店厨房のグリスト
ラップ油回収



工場の廃油処理対策
油水分離槽の浮上油回収



水上（海上）の
油流出対策



メンテナンス時の
オイル拭き取り

| 製品名 | スーパーオイルグripper (1kg 詰) | スーパーオイルグripper (10kg 詰) |
|------|---|-------------------------|
| 型番 | FSOG-49-01 | FSOG-342-10 |
| 原料 | PP樹脂 | |
| 比重 | 0.034 (出荷状態の圧縮比率) | |
| 梱包寸法 | W350×H350×D400 (mm) | W800×H750×D570 (mm) |
| 内容量 | 1kg | 10kg |
| 備考 | <ul style="list-style-type: none"> ・吸水性なし（水を吸いません） ・可燃性（引火点 300℃） ・リサイクル（再生燃料化が可能） ・使用後の処分（産廃処理 / リサイクル処理が可能） | |
| | <ul style="list-style-type: none"> ・あらゆる油脂を吸着可能（流動性の無い油脂を除く） ・水面に浮いた油脂を最大限まで処理（乳化分散剤不要） | |

※綿の形状を押し潰して使用しないでください



荷姿 (FSOG-49-01)



荷姿 (FSOG-342-10)

FORVICE 日本フォームサービス株式会社

URL : <http://www.forvice.co.jp> E-Mail : info@forvice.co.jp

本社・営業部 〒136-0071 東京都江東区亀戸 6-26-5 日土地亀戸ビル7階 TEL:03-3636-0011 FAX:03-3636-0088
 ショールーム 〒136-0071 東京都江東区亀戸 6-26-5 日土地亀戸ビル7階 TEL:03-3636-0011 FAX:03-3636-0088
 東北営業所 〒981-8003 宮城県仙台市泉区南光台 4-28-8 TEL:022-273-8333 FAX:022-273-8334
 関西営業所 〒534-0025 大阪市都島区片町 2-2-40 大発京橋ビル TEL:06-6356-1296 FAX:06-6356-1298
 九州営業所 〒814-0013 福岡県福岡市早良区藤崎 2-11-40 TEL:092-844-5528 FAX:092-844-5530
 千葉工場 〒289-1751 千葉県山武郡横芝光町長山台 1-4 TEL:0479-82-2121 FAX:0479-82-0700

お客様への注意とお願い ●品質改良、安全性向上の為、予告なく製品の仕様を変更する場合がございます。●カラー印刷の都合上、製品の色彩は若干異なります。


SUPER Oil Gripper

FSOG-49-01

FSOG-342-10



**EXTREME HOLDING POWER
TO ANY TYPES OF OIL
BRAND NEW CUTTING-EDGE
TECHNOLOGY FROM JAPAN**



※Use image

Highly functional oil and fat absorbent 『SUPER OIL GRIPPER』

The oil and fat absorbing microfiber tissue “**Supper Oil Gripper**” has
Excellent and fast absorbency of any type of oil without absorbing water
Extreme light weight and extraordinary holding power

- SUPER OIL GRIPPER absorbs up to 35 times its own weight.
(Conventional absorbents absorb only 8 to 12 times their own weight.)
- SUPER OIL GRIPPER has extreme light weight and fast absorbency
- Having a specific gravity of 0.034, SUPER OIL GRIPPER does not submerge in water.
- As it does not absorb water, SUPER OIL GRIPPER can be used effectively in water such as oil spills.
- SUPER OIL GRIPPER has extraordinary holding power, and it is easy to handle the disposal of used absorbent.
- In the oil spills incidents, it is not necessary to use any synthetic detergent nor neutralizer in addition.
- SUPER OIL GRIPPER does not release toxins; and so, it is environmental friendly.

◆SUPER OIL GRIPPER is useful in several different situations



Kitchen Grease traps
at restaurants



Factory oil waste



Oil spills in the ocean



The escape of oil
during installation and
maintenance works

| Name | SUPER OIL GRIPPER (1kg) | SUPER OIL GRIPPER (34kg) |
|------------------|---|----------------------------|
| Serial No. | FSOG-49-01 | FSOG-1000-34 |
| Material | PP resin | |
| Specific gravity | 0.034 (compressed ratio in shipping condition) | |
| Size | W350 × H350 × D400 (mm) | W1000 × H1000 × D1000 (mm) |
| Weight | 1kg | 34kg |
| Note | <ul style="list-style-type: none"> •Hydrophobic (it does not absorb water) •Inflammable (Flash point 300°C) •Recyclable (can be reproduced as regenerated fuel) •Disposable (can be recycled or disposed as the industrial waste) •Can be used for any fat or oil (Exception: some form of non-fluid oil) •Extremely effective on the spill of oil and fat on the water (Emulsion dispersant is not necessary.) | |



packing
FSOG-49-01



packing
FSOG-1000-34

FORVICE NIHON FORM SERVICE CO., LTD.

6-26-5 Kameido, Koto-ku, Tokyo, Japan 136-0071

Tel: +81-3-3636-0011 Fax: +81-3-3636-0086

E-mail: info@forvice.co.jp

URL: <http://www.forvice.co.jp/>